

Front and rear dual shock absorbers

Easy to travel, as stable as the ground

The front and rear double shock absorbers are as stable as walking on flat ground, and the whole road condition is more secure





Aluminum Alloy frame

Lightweight, tough, strong, shock-absorbing and protecting

The frame is made of aviation-grade Aluminum Alloy, and the integrated molding process creates a smooth body.

- Simplified Design
 - Simple appearance design, aluminum alloy structure design
- Ingenuity

Automotive-grade chassis concealed battery design

Quick Folding

独特设计等ig析叠曲动锁板matic locking



One twist and one buckle

3 seconds fast folding

Folds in three seconds, easy to store, and travels with ease.

Portable storage, suitable for multiple scenarios








Lift

Trunk









High energy lithium battery

High-rate and high-power power supply safe and durable performance

Strong power, long-lasting battery life, fast charging, conquer every city journey

500W

Motor power

70Km

Full speed



Front and rear disc brakes

Double disc protection, braking faster and more stable

Front and rear disc brakes, precise braking, sensitive response, all-weather protection for riding safety









PRODUCT PARAMETERS			
Model	X9B	Ground clearance of pedal chassis	120mm
Open Size	1150*500*1280mm	Folding method	3 Seconds quickfolding
Fold Size	1150*500*580mm	Battery capacity	15.6Ah Li-ion battery
Net Weight	About 21kg	Charger parameters	DC42V/2A
Frame Material	Aluminum alloy	Motor driven	Rear wheel drive
Tire Size	10 inch	Battery removal method	Portable and removable
Max Range	70km	Waterproof level	IPX4
Speed	25km/h	Charging time	7-8 hours
Rated power	36V/500W	Headlight	LED high-brightness front light
Climbing Angel	25°	Taillight	Rear LED
Pedal Width	183mm	Applicable height	120~200cm
Ground Clearance of Pedal	205mm	Max load	120kg
Shock Absorption System	Front and rear double shock spring system		